

ZPMV8.E488074 - Wiring, Printed Certified for Canada - Component

Wiring, Printed Certified for Canada - Component

ShenZhen JDB Technology Co LTD

Room 301, Building No.32 Longwangmiao Industrial Zone

Fuyong Street, Bao'an District

Shenzhen, Guangdong 518103 China


E488074

Type	Cond Width		Max Report					Max								
	Min		Cond	SS/	Area	date	Surface	Assembly		Solder	Solder	Oper	Meets		C	
	Min	Edge	Thk	DS/	Diam	After	Mount	Process	Process	Limits	Temp	Flame	UL796		T	
	mm	mm	mic	DSO	mm	2022-01-01	Technology	Temp	Cycles	°C	sec	°C	Class	DSR	I	
Multilayer printed wiring boards																
JDB-M(ASP1)	0.075	0.1	12 Int:68	DS	50.8	Yes	Yes	260	2	288	10	130	V-0	All	*	
JDB-M1(ASP1)	0.13	0.20	17 Int:68	DS	50.8	Yes	Yes	260	2	288	10	130	V-0	All	*	
JDB-M2(ASP1)	0.16	0.18	17 Int:34	DS	50.8	Yes	Yes	260	2	288	10	130	V-0	All	*	
Single layer Metal Base printed wiring boards																
JDB-A1(ASP1)	0.13	0.20	17	SS	50.8	Yes	Yes	260	1	288	10	90	V-0	All	0	
JDB-A2(ASP1)	0.13	0.20	17	SS	50.8	Yes	Yes	260	1	288	10	130	V-0	All	0	
Single layer Metal Base printed wiring boards, flammability only recognition																
JDB-A3(ASP1)	-	-	-	DS	-	Yes	Yes	260	2	288	10	-	V-0	-	-	
Single layer printed wiring boards																
JDB-D(ASP1)	0.075	0.1	12	DS	50.8	Yes	Yes	260	2	288	10	130	V-0	All	*	
JDB-H1(ASP1)	0.13	0.20	17	DS	50.8	Yes	Yes	260	2	288	10	130	V-0	All	*	
Single Side Multilayer Metal Base printed wiring boards																
JDB-D1(ASP1)	0.12	0.15	17 Int:55	SS	50.8	Yes	Yes	260	2	288	10	90	V-0	▲	*	

Feedback

* - CTI marking is optional and may be marked on the printed wiring board.

ASP1 - Assembly Solder process evaluated to IPC-TM-650, 2.6.27 Thermal Stress Assembly Simulation.

Marking: Company name or file number and type designation and the Recognized Component Mark for Canada, . May be followed by a file number for identification and classification.

并不是所有出现在本数据库中的公司名称和产品都满足了UL 跟踪检验服务的要求。只有带有 UL 标志的产品，才应该被视为经过 UL 认证，并满足UL 跟踪检验服务的要求。注意查看产品上的标志。

UL 允许在线认证目录中所含材料的复制遵循以下条件：1.指南信息、装配、构造、设计、系统和/或认证（文件）必须在不篡改任何数据（或图纸）的情况下完整且无误导性地呈现。2.“经 UL 允许从在线认证目录转载”声明必须出现在所摘取材料的邻近位置。此外，转载材料必须包含以下格式的版权声明： "©2023 UL LLC."